8

	Application No.	Applicant(s)
	Application No.	Applicant(s)
Notice of Allemahility	10/762,553	VON DER HARDT ET AL.
Notice of Allowability	Examiner	Art Unit
	Joseph L. Perrin, Ph.D.	1746
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this apport or other appropriate communication GHTS. This application is subject to	olication. If not included will be mailed in due course. THIS
1. This communication is responsive to <u>29 September 2006</u> .		
2. The allowed claim(s) is/are 11-18 (renumbered as claims 1-8).		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892)	5 Notice of Informal D	atant Application
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal P6. ☐ Interview Summary	• •
_	6. ☐ Interview Summary Paper No./Mail Dat 7. ⊠ Examiner's Amendr	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date		
 Examiner's Comment Regarding Requirement for Deposit of Biological Material 	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance
3 and a second	9. Other	

Application/Control Number: 10/762,553 Page 2

Art Unit: 1746

EXAMINER'S AMENDMENT & STATEMENT OF REASONS FOR ALLOWANCE

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

2. Authorization for this examiner's amendment was given in a telephone interview

with Mr. Mark H. Neblett on 16 October 2006. Claims 1-10 were requested canceled as

non-elected claims and claim 19 was requested canceled for failing to further limit since

claim 11 was amended in the instant amendment to include the limitations of claim 19.

3. The application has been amended as follows:

Cancel non-elected claims 1-10.

Cancel claim 19.

Allowable Subject Matter

4. Claims 11-18 are allowed.

5. The following is a statement of reasons for allowance: The closest prior art of

record, U.S. Patent No. 4,881,176 to KONONOV, fails to teach each and every

limitation of the instant invention. Specifically, KONONOV fails to teach or reasonably

suggest the claimed filter testing device configuration including a device housing with

Application/Control Number: 10/762,553

Art Unit: 1746

9.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a

USPTO Customer Service Representative or access to the automated information

system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Joseph L. Perrin, Ph.D.

Page 4

Primary Examiner

Art Unit 1746

jlp